



2020 LINEUP

DELUXE



POLARIS GENERAL 1000 DELUXE

L	7/0/	P
15		

PREMIUM PLUS: FOX PODIUM X 2.0 QS3 SHOCKS SPORT ROOF MTX PREMTUM SOUNDBAF CONVEX REAR VIEW MIRROR

PREMIUM



POLARIS GENERAL 1000 PREMIUM

AUTOMOTIVE PAINT MATTE BLACK CAST ALUMINUM WHEELS SPORT LOW PROFILE FRONT BUMPER

BASE



POLARIS GENERAL 1000

.00 HP PROSTAR ENGINE 272 kg DUMPING BOX TANDARD HALF DOORS LECTRONIC POWER STEERING (EPS POLARIS LOCK & RIDE COMPATIBLE

4-SEAT



POLARIS GENERAL 4 1000


MATTE BLACK CAST ALUMINUM WHEELS 68.68 cm DIRT COMMANDER 8-PLY TIRES FOX® PODIUM 2.0 QS3 SHOCKS SPORT LOW PROFILE FRONT BUMPER POLARIS HD 2041 kg WINCH

CONTENTS

ACCESSORIES	08
WINDSHIELDS & REAR PANELS	08
DOORS	10
ROOFS	12
VEHICLE & RIDER PROTECTION	13
STORAGE	14
CAB COMFORT	16
HUNT	16
POLARIS NORTHSTAR COOLERS	18
RIDE COMMAND & AUDIO	20
LIGHTING	55
WHEELS & TIRES	24
WINCHES	30
PLOWS & TRACKS	31

PARTS & GARAGE	32
OIL & LUBRICANTS	32
MAINTENANCE	34
HD PARTS	38
SERVICE PARTS	40
BATTERY & LIFTS	42
GARAGE & TRAILERING	44

APPAREL & HELMETS	46
OUTERWEAR & PROTECTION	46
LIFESTYLE APPAREL & CAPS	52
CAMO & GIFTS	54



STANDARDS HIGH. WE DO.

DESIGNED TESTED





WE HOLD OUR PARTNERS TO THE SAME STANDARDS

Designed by the same people who

designed your vehicle.





A GLOBAL LEADER IN AUDIO INNOVATION,



PRODUCTS SO GOOD THEY REPLACE OR REPAIR THEM FOR LIFE



MAKING PRODUCTS FOR AVID



ENGINEERED TO TAKE ON

THE ELEMENTS

TESTED & PROVEN



POLARIS GENERAL CABS PROVIDE THE INDUSTRY'S TIGHTEST SEAL



BUILD YOUR CAB SYSTEM STARTING ON P. 08



COMFORT YOU HAVE TO **EXPERIENCE** TO BELIEVE

Our cab components create an experience enhancing interior, offering supreme comfort to



Contours built into the cage deliver the best sealing surface in the industry.



A 360° gasket seal provides the tightest-sealing cab in the industry.



EASY ON 8 OFF

Adapt to your needs and environment with exclusive tool-less, easy-on, easy-off Lock & Ride components.



PLUG & PLAY ELECTRICAL

EFFORTLESSLY ADD LIGHTS, HEAT, WIPERS & AUDIO.

A revolution in electrical accessory integration, the Polaris PULSE Electrical System allows for a simple plug & play approach for adding power to Polaris Engineered Accessories.

Look for Males to identify Polaris PULSE ready accessories.




Vented Windshield: P. 08 Hard Coat Poly Sport Poly - Roof: P. 12

XL Fender Flares: P. 13 NOTSHOWN

LOCK & PIDE Cargo Box: P. 15

RIGID® SR-Series Combo Light Bar: P. 22

Pro Armor Wheel & Tire Set: P. 29 29" Mud XC & 14" Shackle - Matte Black Winch: P. 30



Flip-Down Windshield: P. 08 Hard Coat Poly

Premium Poly Front & Rear Doors: P. 10 Sport Upper Front Bumper: P. 13

Pro Armor 76.2 cm Combo Light Bar: P. 23
Pro Armor Wheel & Tire Set: P. 29
Attack 2.0 & Halo Matte Black
Polaris Pro HD 2041 kg Winch: P. 30

POLARIS GENERAL

THE RIGHT GEAR ALWAYS MATTERS

Windshield & Rear Panel	P. U8
□ Doors	P. 10
□ Roof	P. 12
□ Cab Comfort	P. 16

NEXT LEVEL VERSATILITY

□ Storage	P. 1
☐ Lighting	P. 2
☐ Wheels & Tires	P. 2
□ Winches	P. 3

THE RIGHT STUFF TO MAINTAIN YOUR POLARIS GENERAL

🗆 Oil & Lubricants	Р. З
☐ Maintenance	P. 3

EVERYTHING YOU NEED TO GEAR UP

] Apparel	P. 46
Helmets	P 48

WINDSHIELDS

· Cold weather/ Heavy duty

• Wiper ready (windshield only)

Keep the elements out and control air flow into the cab.

Poly



GLASS 🛂 POLY

- Superior optical clarity · Lightweight, flexible,
 - easy to store/remove Impact-resistant
 - · Tight seal keeps out rain and dust
 - Hard Coat: 30x more scratch resistance than regular poly windshields



GLASS HARD COAT POLY



TIP-OUT WINDSHIELD -GLASS

» 2881108

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

FULL WINDSHIELD -

GLASS TOP SELLER

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

» 2881109

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

VENTED WINDSHIELD - HARD COAT POLY

» 2884223

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

FLIP-DOWN WINDSHIELD - HARD COAT POLY

» 2882174

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



The three-position adjustment system easily opens, providing in-cab ventilation.



Offers fully-sealed or flipped-down venting options. Upper half detaches, leaving lower half for protection with maximum ventilation.

NEW LOCK & RIDE

FULL WINDSHIELD -HARD COAT POLY

POLARIS GENERAL 4 1000 '17-20,

HALF WINDSHIELD -

POLY

» 2881111

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20




REAR PANEL - GLASS TOP SELLER

» 2881113

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20





POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



» 2881090

REAR **PANELS**

Turbulent air forms above the cargo bed and behind the cab when you add a windshield. This swirl can carry dirt, dust, leaves, and rain into the cab. Eliminate this phenomenon and control the swirl by installing a rear panel.



REAR PANEL - POLY

DOORS

COMPLETE YOUR CAB. POLARIS GENERAL comes equipped with

half doors. To create an enclosed cab for increased protection from the elements, choose from two great Polaris ontions



PREMIUM POLY FULL DOORS

- Impact and scratch-resistant tempered glass
- Fully-sealed design keeps elements out for a premium in-cab environment
- Hinged window adjustability
- Soft-touch, easy to clean premium interior liner

2-SEAT

 Six-way glass window adjustability

ujustability

» 2883717

POLARIS GENERAL 4 1000 '17-20

4-SEAT

- Push-out windows
- Kit includes B-pillar cover seal
- » 2883082

POLARIS GENERAL 4 1000 '17-20

ZIP WINDOW UPPER DOORS

- Durable, rugged canvas stitched over a robust steel frame
- · Lightweight, UV-resistant construction
- Retention straps for increased strength
- Zipper windows for increased venting options
- Mounts easily by drilling into stock doors (drill hole plugs included)

2-SEAT

» 2882548

POLARIS GENERAL 1000 '18-20

» 2883453

NOT SHOWN

4-SEAT

POLARIS GENERAL 4 1000 '18-20

POLARIS ENGINEERED"
AIDVANTAGES



PREMIUM INTERIOR HANDLE AND LINER



A PERFECT FIT FOR THE PERFECT SEAL

VEHICLE & RIDER ROOFS PROTECTION Protect yourself from the elements. The right roof

> Arm your POLARIS GENERAL with Polaris Engineered bumpers and guards to take on any challenge. Engineered for easy, secure installation; providing added protection for lights, bodywork and suspension.



ALUMINUM POLY

MOISTURE

MOVING

- · High Protection Strength
- Lower Profile

PREMIUM

FEATURES

& QUIETER

RIDE

- Sleek Style
- Water Run-Off
- Pre-Existing Mounting Features

POLARIS ENGINEERED™

ADVANTAGES

- · Liner Ready
- Lightweight

4-SEAT

PREMIUM ROOF - POLY

» 2883801

POLARIS GENERAL 4 1000 '17-20



TNC! UDFS PREMIUM ROOF LINER

SPORT ROOF - POLY

» 2883781

ANIEW.

POLY ROOF LINER

POLARIS GENERAL 4 1000 '17-20 Compatible with Sport Roof - Poly (2883781), sold separately

FRONT **BUMPERS**

SPORT LOW PROFILE

» 2881094 POLARIS GENERAL 4 1000 '17-20,

POLARIS GENERAL 1000 '16-20

® SPORT UPPER

» 2881525

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20 Requires Sport Low Profile Front Bumper

HMW A-ARM GUARDS NOT SHOWN

FRONT » 2880274

POLARIS GENERAL 4 1000 '17-20,

POLARIS GENERAL 1000 '16-20

REAR

» 2880171

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

FENDER FLARES NOT SHOWN

XL N=111 FALL AVAILABILITY

» 2884220

POLARIS GENERAL 4 1000 '17-20,

LOW PROFILE

ROCK

SLIDERS

» 2881102 POLARIS GENERAL 4 1000 '17-20. POLARIS GENERAL 1000 '16-20

EXTREME KICK-OUT

» 2-SEAT • 2881101

POLARIS GENERAL 1000 '16-20

» 4-SEAT • 2881992



EXPANSION ANCHOR MOUNTS

TOUGH EXPANSION ANCHOR MOUNTS DESIGNED FOR POLARIS GENERAL ALLOW FOR QUICK INSTALL OF ROCK SLIDERS AND BUMPERS WITHOUT DAMAGING THE VEHICLE'S FRAME



REAR

SPORT

» 2884345

BUMPERS

shields you from the sun and driving rain.

A PERFECT

FIT FOR THE

PERFECT

SEAL

2-SEAT

ROOF - ALUMINUM

POLARIS GENERAL 1000 '16-20

PREMIUM ROOF - POLY

POLARIS GENERAL 1000 '16-20

SPORT ROOF - POLY

POLARIS GENERAL 1000 '16-20

INCLUDES

PREMIUM

ROOF LINER

» 2881105

» 2883800







BEHIND SEAT STORAGE BAG

» 2882164

SPARE TIRE CARRIER

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

» 2881529

POLARIS GENERAL 4 1000 '20, POLARIS GENERAL 1000 '16-20

IN-DASH STORAGE BAG

» 2882165

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20





» 2881527

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20 Includes all mounting hardware for secure installation

D-RINGS » 2881545

LOCK & RIDE

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

» 2882158

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20 Fits most 8.25 cm fire extinguishers (not included)









POLARIS ENGINEERED™

ADVANTAGES

EASILY RECONFIGURE **FOR ANY TASK OR ANY TRAIL**





LOCK & RIDE REVOLUTIONARY

INSTALLATION



CAB COMFORT



PULSE

8-VENT HEATER & DEFROST SYSTEM

POLARIS GENERAL 4 1000 '17-20. POLARIS GENERAL 1000 '16-20



CONVEX REAR VIEW MIRROR

» 2881540

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



WINDSHIELD WIPER & WASHER SYSTEM TOPSELLER

POLARIS GENERAL 4 1000 '17-20.



FLOOR MATS

POLARIS GENERAL 4 1000 '17-20







Red light is great for

Green light is perfect for

navigating in the dark Blue light is ideal for

MULTI-FUNCTION CAB LIGHT

· LED dome light provides white, red, green and blue lighting options

· Battery-operated, recharges when

 Remove to use as flashlight in and

» 2884047

POLARIS GENERAL 4 1000 '19-20. POLARIS GENERAL 1000 '19-20



PULSE

POLARIS PULSE LED LIGHT BAR HARNESS

- · Required to easily add electric components

POLARIS GENERAL 4 1000 '19-20, POLARIS GENERAL 1000 '19-20



HUNT


PROTECT THE GEAR YOU NEED. LIVE THE LIFE YOU LOVE.

KOLPIN RHINO GRIPS®

IDEAL FOR BOWS & UNCASED GUNS

KOLPIN STRONGHOLD® CASES

OUTDOORS



» XL TRANSPORT • 2882430*

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

» L IMPACT • 2882426*

POLARIS GENERAL 4 1000 '17-20,

POLARIS GENERAL 1000 '16-20



KOLPIN STRONGHOLD® **ICE ROD BOOT**

POLARIS GENERAL 4 1000 '17-20.



KOLPIN STRONGHOLD ICE AUGER/ POP-UP BLIND BOOT

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

RATCHETING

RHINO GRIP®

» 2884107

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20



» 2881575 POLARIS GENERAL 4 1000 '17-20. POLARIS GENERAL 1000 '16-20

RHINO GRIP® PRO

» 2884108 POLARIS GENERAL 4 1000 '17-20. POLARIS GENERAL 1000 '16-20

LOCK & RIDE RHINO

GRIP® XL DOUBLE

RHINO GRIP® XL

» 2881574



XL REPLACEMENT **RUBBER STRAPS**

RHINO GRIP®

» 2881621

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

3 Browning

We would like to thank our partners Browning" and


Mathews" for helping to deliver a successful and

safe off-road experience when out in the field.

RHINO GRIP® PRO RUBBER STRAPS

» 2884109

POLARIS GENERAL 4 1000 '17-20. POLARIS GENERAL 1000 '16-20



*REQUIRES AUTO-LATCH MOUNT (2883970 OR 2884106)

POLARIS
NORTHSTAR
COOLER

KEEP IT

ICE COLD

GRIZZLY TESTED.POLARIS APPROVED.



This cooler is IGBC-approved, meaning it withstands the power expended by a typical grizzly bear if it was trying to get inside.

Seriously, there are experts who know what a grizzly is capable of doing, and they certify our coolers can take it.

FROM EXTREME HEAT TO A NASTY TUMBLE OFF A VEHICLE.



28, 57 & 99 LITER FEATURES















99 LITER

» GRAPHITE • 2883426 » DESERT • 2883392



57 LITER

- » GRAPHITE 2883425 » DESERT • 2881259
- 83425



28 LITER

» GRAPHITE • 2883424 » DESERT • 2881315



14 LITER

» GRAPHITE • 2883968



19 LITER SOFTSIDE

» GRAPHITE • 2883390

ESSENTIAL ACCESSORIES SO YOUR COOLER WORKS AS HARD AS YOU DO

COOLER ACCESSORIES	99 LITER	57 LITER	28 LITER	DON'T FORGET THESE ACCESSORIES
	2883648	2882185	2882438	
DIVIDERS Doubles as cutting board	2883468 COMES WITH ONE DIVIDER 1 way to partition	2882184 COMES WITH TWO DIVIDERS 2 ways to partition	2882186 COMES WITH ONE DIVIDER 1 way to partition	TUMBLERS PROPERTY OF THE PROP
SEAT CUSHION	NOT AVAILABLE	2882179	2882507	GENERAL CARGO BOXES
WHEELS	2883967	2882180	NOT AVAILABLE	

RIDECOMMAND®



AUDIO

VIIISE Unchical System

NO LOSS OF

CARGO SPACE

An industry first. A true factory

the loudest, highest performing system the industry has ever heard. Specifically tuned and

rider-centric to create a class

leading audio experience that is

installed integrated off-road audio system. Rockford Fosgate® partnered with Polaris to build

STAGE 1 AUDIO KIT BY ROCKFORD FOSGATE®

second to none.

- Head Unit and Front Coaxial Speakers
- 6.86 cm full color display with AM/FM/WB tuner, Pandora Control and Bluetooth Connectivity
- · 50 Watt 16.51 cm coaxial speakers with enclosures and
- Head Unit and Speakers are designed Element Ready

POLARIS GENERAL 4 1000 '20

RIDE COMMAND 7" DISPLAY

- 7" High Bright Touchscreen visible in • Dedicated shortcut buttons for
- · Displays critical vehicle information battery voltage
- Media player w/ built in AM/FM tuner
- Enhanced Group Ride capability to
- » 2884072

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

RIDE COMMAND MOUNT KIT

- · Mount Ride Command seamlessly into the dash for perfect fit & finish
- quick access to features Bluetooth* and USB smart

EXPERIENCE

· Front camera support for better

NEW

FALL AVATLARTITY

POLARIS GENERAL 1000 '20

· Includes front camera

» WITH RIDE COMMAND

· Comes with wiring harnesses needed and accessory components

- POLARIS GENERAL 4 1000 '17-19,
- » WITHOUT RIDE COMMAND MTX* SOUNDBAR

POLARIS GENERAL 4 1000 '17-19, POLARIS GENERAL 1000 '16-19

*DOWNLOAD THE RIDE COMMAND MOBILE APP







MTX® PREMIUM SOUNDBAR

- · Fully-sealed, injection-molded enclosure with marine-grade components
- 8 Speakers, 100-Watt
- Bluetooth" connections
- Compatible with 2883803 Ride Command MTX* Soundbar with Mount Kit

POLARIS GENERAL 4 1000 '17-19

OPTICS

1200 m

960 m

720 m

480 m

240 m

SIZE

RAW LUMENS

TYPE

ΡN

MOUNTS PERFECTLY

Designed for your Polaris Engineered bumper, roof or other mounting point

MAX PERFORMANCE

Validated to work as hard as your machine does

DOESN'T OVERTAX

Trust it to work when you need it to

PRO ARMOR.

ADVANCED TECH

RIGID® lights are driven by Aluminum PCB Smart Boards®, 6063-T5 aircraft aluminum extruded housings and Tiger Drylac® UV protection polyester powdercoating.

EXCLUSIVE OPTICS

RIGID® invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

LIGHT BAR TYPES



SR-SERIES PRO

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage. Available in 25.4 cm & 81.3 cm



D-SERIES PRO

Compact to fit almost anywhere with high output and low energy usage. Available in Driving, Flood & Spot

RUGGED CONSTRUCTION

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.

MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.



DUAL-ROW LED LIGHT BARS

The most spread and farthest illumination downrange. Easy to mount.

Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm



SINGLE-ROW LED LIGHT BARS

Powerful, compact, low-profile light bars with sleek look.

Available in 27.9 cm, 83.8 cm & 101.6 cm



DUAL-ROW

13,680

2882074

ACCENT LIGHTING

ΡN

ACCENT LIGHTS

POLARIS GENERAL 4 1000 '17-20 POLARIS GENERAL 1000 '16-20

RED (SET OF 4) 2880500

BLUE (SET OF 4) 2880506

COLOR

6,300

2882077

CUBE LED LIGHTS


Small size allows mounting in strategic locations for added lighting. Available in Flood & Spot

DUAL-ROW

8,820

2883107

LIGHT BAR OPTIONS



SPOT (10°)

Fast

Concentrated/Long

High points

Trail & tight

conditions

(25/10°)

25%10°)

Medium to fast

Inner spot & outer flood

All points

All riding & utility

FLOOD

Medium

Wide/Shorter

Low &/or rear

Wide-open terrain

or trails & utility

Slow

Extra-wide

All points

All riding & utility

	LIGHT BAR SET-UPS			
MODEL	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 2 SWITCHES	
<i>2019-2020</i> All Models	POLARIS PULSE LED LIGHT BAR HARNESS 2883785	POLARIS PULSE LED LIGHT BAR HARNESS 2883785 Y-HARNESS 2879860	POLARIS PULSE LED LIGHT BAR HARNESS (x2) 2883785	

■ All RIGIO® and Pro Armor lights are Polaris PULSE ready.

ADD A HARNESS TO MOUNT YOUR LIGHTS

⚠ No battery connection cables required on any model/model year POLARIS GENERAL 1000.

BUILD YOUR VISION

OPTICS

BEAM

LIGHT ANGLE

DRIVING SPEED

RECOMMENDED

TERRATN &

RIDING STYLE

ACCENT

Diffused glow

Low/Wheel well

Added style &

personalization in

any terrain

ACCENT

Consider the Optics, Angle & how you will use your vehicle to choose the right light or set of lights.

PROARMOR.

Each wheel and tire Pro Armor designs for off-road vehicles performs perfectly in the intended environment for its intended use. Developed, tested, and produced in partnership so you can tackle the terrain ahead with Polaris.

TRIPLE-BELTED SIDEWALLS

- Sidewalls are the most vulnerable puncture area of any off-road tire
- Pro Armor makes tires with extra protection exactly where it's needed most - the sidewall

8 or 10-PLY

- · Pro Armor builds the toughest tires
- · Higher ply ratings mean added protection

INNOVATION

DUAL DUROMETER LUGS (Crawler XG & Attack 2.0)

- Firm durometer rubber on base of lug for stability
- · Soft durometer rubber on top of lug for sticky grip

DUAL COMPOUND TREAD (Dual-Threat)

- · Firm durometer rubber on center of tread for long wear life
- · Soft durometer rubber on shoulders of tread for superior grip

km RATED

Pile on the kilometers with Pro Armor tires. Every tire is designed and constructed with longevity in mind. With ratings of 4,828 kilometersand beyond, you are assured long life and performance.

KNOW YOUR TIRES

DIMENSIONS 28" × 9" R14

TIRE TIRE WHEEL HEIGHT WIDTH DIAMETER

TREAD DEPTH means more grip in

A lighter tire makes for improved vehicle puncture-resistance

Indicates tire

SIDEWALL BELTS resistance to sidewall punctures

TIRE: DUAL-THREAT

Tires with higher handle more weight

WHEEL: BUCKLE ACCENT

KNOW YOUR TERRAIN





deal for both hard pack

RATING

BELTS

3

517 kg







PRO ARMOR CRAWLER XR

· Wanna race? This tire grips it all from the trail to the rocks

· A tougher durometer than the XG to take on the toughest

· Square block profile for even surface contact



- Flexible "grippy" tread
- Aggressive side bite

FRONT / REAR



FRONT / REAR

XR SINGLE DUROMETER

 Smaller lug height, added rigidity and lateral stability when cornering

Unique lug design excels in hard-packed, fast terrain



RDCK DESERT TRAIL

PRO ARMOR CRAWLER XG

CRAWLER ARE YOU?

- · Big or small, these tires crawl them all
- · A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- · 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	
15"	28" × 10" R15 5416346	FRONT/ REAR	20mm	15 kg	8	3	503 kg	

XG DUAL-DUROMETER

Taller lug height

• Perfect balance between high-speed performance, durability and flex in order to grip slick rock

BACKCOUNTRY/TRAIL

MUD

PRO ARMOR MUD XC

- · Designed for the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- · Dual-compound technology with harder durometer lugs promote
- 10-ply construction, means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	29" × 10" R14 5416946	FRONT/ REAR		18 kg			630 kg
14"	27" × 9" R14 5416947	FRONT	30 _{mm}	14 kg	10	3	531 kg
14"	27" × 11" R14 5416948	REAR		15 kg			599 kg





BACKCOUNTRY/TRAIL



PRO ARMOR DUAL-THREAT

- · Dual-compound technology and radial construction offer performance
- Softer durometer rubber on outer edge for overall superior grip and feel
- · Harder durometer rubber in the middle for increased traction during

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	26" × 9" R14 5416340	FRONT	16 mm	12 kg	10	3	413 kg
14"	26" × 11" R14 5416341	REAR		14 kg			503 kg
14"	29" × 9" R14 5416342	FRONT		14 kg			503 kg
14"	29" × 11" R14 5416343	REAR		16 kg			599 kg

DUAL-COMPOUND = MORE GRIP + LONGER LIFE





FRONT / REAR

PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer
- Tight thread pattern for a quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15" •	28" × 10" R15 5416344	FRONT/ REAR	25mm	15 kg	10	3	503 kg

ATTACK 2.0 ATTACK

TIGHTER TREAD PATTERN = Better traction in hard pack

DUAL-DUROMETER LUG = Increased grip & traction in rough terrain, smoother

Increased durability

LARGER SIZE OFFERING IN 28" = More ground clearance & trail traction

WHEEL SIZE



PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	26" × 9" R14 5415613	FRONT	22	13 kg	8	3	413 kg
14"	26" * 11" R14 5415614	REAR	23mm	15 kg			599 kg



UTILITY



- Industry leading anti-puncture side walls · Purpose-built, long lasting tread patterns

PICKING THE RIGHT UTILITY TIRE	HARVESTER	PRESERVE [™]	XD-K
Rated Long life and performance	Х	X	
Heavy Duty Tread Aggressive tread pattern for all day work on farms or ranches	X		X
Turf-Friendly Easy on grass & farm yard	X	X	
Aramid Fiber Belt 5x times stronger than steel and lighter			X
Wide Range of Sizes For exactly how you want to use your machine	28", 27", 26"	27", 26"	26"



PRO ARMOR HARVESTER

- · All-around work horse with tread life of 8047 km
- Tread pattern designed to withstand anything from the farm yard, to the pastures to the trail
- · With 10-Ply it can carry the load day-in and day-out

			TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	26" × 8" R12 5416396	FRONT		11 kg		3	388 kg
12"	26" × 10" R12 5415966	REAR		15 kg	10		615 kg
14"	27" × 10" R14 5415965	FRONT/ REAR	16 _{mm}	15 kg			599 kg
14"	28" × 10" R14 5416347	FRONT/ REAR		15 kg			630 kg



FRONT / REAR

PRO ARMOR PRESERVE

- · Turf-friendly for areas where low-impact tire tread is needed
- · Rounded profile and special tread pattern to limit footprint

			TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	26" × 8" R12 5416403	FRONT	16 _{mm}	11 kg		3	388 kg
12"	26" × 10" R12 5416402	REAR		13 kg	10		599 kg
14"	27" × 10" R14 5416348	FRONT/ REAR		13 kg			599 kg





UTILITY TRAIL SNOW

PRO ARMOR XD-K

- · 26" Aramid fiber-belted tire to tackle any terrain
- · Unique full-face tread design
- · Harder durometer lugs promotes for extended wear increasing tire life

			TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	26" × 9" R12 5415756	FRONT	01.7	13 kg	10	3/1	388 kg
12"	26" × 11" R12 5415757	REAR	31.7 _{mm}	15 kg	10	Aramid	499 kg







WINDSHIELDS & REAR PANELS

ROOFS 8 PROTECTION

WHEEL & TIRE SETS

7/11	BACK COL	JNTRY / TR	RAIL	MUD		UTILITY			ROCK
14"	ATTACK 26" 4828 km	DUAL-THREAT 26" 4828 km	DUAL-THREAT 29" 4828 km	MUD XC 29" 4828 km	MUD XC 27" 4828 km	PRESERVE 27" 8047 km	PRO ARMOR HARVESTER 27" 8047 km	PRO ARMOR HARVESTER 28" 8047 km	CRAWLER XR 28" 4828 km
AMPLIFY Accent	2882390	2883138	2883146	2884265	2884272	2883208	2882388	2883225	2882394
AMPLIFY O Matte Black	2882391	2883139	2883147	2884266	2884273	2883209	2882389	2883226	2882395
BUCKLE O	2881335	2883140	2883148	2884260	2884267	2883203	2882383	2883220	2881343
BUCKLE O Matte Black	2881336	2883141	2883149	2884261	2884268	2883204	2882384	2883221	2881344
COMBAT Accent BEADLOCKS PRE-MOUNTED		2883217	2883219						2883213
COMBAT Matte Black BEADLOCKS PRE-MOUNTED		2883216	2883218						2883212
REBLR Matte Black BEADLOCKS SOLD SEPARATELY	2881381								2881386
SHACKLE Accent	2881347	2883142	2883150	2884263	2884270	2883205	2882385	2883222	2881355
SHACKLE O Matte Black	2881348	2883143	2883151	2884264	2884271	2883206	2882386	2883223	2881356
SIXR O	2881359								2881371
SIXR Matte Black	2881360	2883144	2883152	2884262	2884269	2883207	2882387	2883224	2881372
SPLIT 🔿	2883145								



CYCLONE Iccent	2883160	2883188	POL	ARIS 🥌	3
CYCLONE Matte Black	2883159	2883187	LUST	ER AMPLIFY, BUCKLE, COMBAT, CYCLON	
LARE Iccent	2883158	2883186	MATT BLAC		LR,
FLARE Matte Black	2883157	2883185	LUST	ER HEXLR	
HALO Iccent BEADLOCKS	2883162	2883190	MATT Blac	ГЕ	
PRE-MOUNTED			PRO	O ARMOR 🏻 🌃	

BLACK	1 (522)	45.70
PRO AI	RMOR 💮	(a)
LUSTER	AMPLIFY, BUCKLE, COMBAT, CYCLONE,	5453209-410
MATTE Black	FLARE, HALO, REBLR, SHACKLE, SIXR	5453209-458
MATTE BLACK	WYDE	1523063-458
LUSTER	TUDACUED LIEVED	1523015-410
MATTE BLACK	THRASHER, HEXLR	1523015-458

12mm x 1.5 SPLINED 1522243-410 LUG WRENCH

1521509-410

1521509-521



MAYS TO

O LUG NUTS REQUIRED

LUG NUTS

16 SPLINED LUG NUTS

4 SPLINED LUG NUTS

WITHOUT WRENCH

WITH WRENCH ADAPTER

COLBY VALVE SHORT ULTIMATE VALVE - 2 PACK

INDIVIDUAL WHEELS & TIRES

COMPLETE SETS AS LISTED

Exclusively at Polaris Authorized Dealers

2879332

2204966

» 2883293

ALL POLARIS

12mm × 1.5 SPLINED



COLBY COMBO VALVE KIT (16 PACK)

 Includes 8 ultimate valves and 8 emergency valves

» 2883294

1	BACK COL	JNTRY / TF	RAIL	MUD		UTILITY			ROCK
14"	ATTACK 26" 4828 km	DUAL-THREAT 26" 4828 km	DUAL-THREAT 29" 4828 km	MUD XC 29" 4828 km	MUD XC 27" 4828 km	PRESERVE 27" 8047 km	PRO ARMOR HARVESTER 27" 8047 km	PRO ARMOR HARVESTER 28" 8047 km	CRAWLER XR 28" 4828 km
AMPLIFY O	2882390	2883138	2883146	2884265	2884272	2883208	2882388	2883225	2882394
AMPLIFY 🔿 Matte Black	2882391	2883139	2883147	2884266	2884273	2883209	2882389	2883226	2882395
BUCKLE O Accent	2881335	2883140	2883148	2884260	2884267	2883203	2882383	2883220	2881343
BUCKLE 🔿 Matte Black	2881336	2883141	2883149	2884261	2884268	2883204	2882384	2883221	2881344
COMBAT Accent BEADLOCKS PRE-MOUNTED		2883217	2883219						2883213
COMBAT Matte Black BEADLOCKS PRE-MOUNTED		2883216	2883218						2883212
REBLR O Matte Black BEADLOCKS SOLD BEPARATELY	2881381								2881386
SHACKLE O Accent	2881347	2883142	2883150	2884263	2884270	2883205	2882385	2883222	2881355
SHACKLE O Matte Black	2881348	2883143	2883151	2884264	2884271	2883206	2882386	2883223	2881356
SIXR O	2881359								2881371
SIXR O Matte Black	2881360	2883144	2883152	2884262	2884269	2883207	2882387	2883224	2881372
SPLIT O	2883145								

Matte Black

YCLONE ccent	2883160	2883188
YCLONE Natte Black	2883159	2883187
LARE ccent	2883158	2883186
LARE Jatte Black	2883157	2883185
IALO ccent EADLOCKS RE-MOUNTED	2883162	2883190
IALO fatte Black	2883161	2883189

• Extra deep treads

HEXLR O

cent ADLOCKS DLO SEPARATELY	2883154	2883182
YDE O	2883156	2883184

WYDE O 2883183 2883155

WHEELS

















14"

△ AMPLIFY ○

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9

REAR 14" × 8" 1522957-266 MATTE BLACK: FRONT 14" × 7" 1522956-458 14" × 8" 1522957-458

BUCKLE O

FRONT WEIGHT: 5.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1522544-266 14" × 8" 1522545-266 MATTE BLACK: FRONT 14" × 7" 1522544-458 14" × 8" 1522545-458

© COMBAT (BEADLOCK RINGS INCLUDED)

WEIGHT: 7.3 kg | LOAD RATING: 729 kg | OFFSET: +38 FRONT/REAR 14" × 7" 1523284 MATTE BLACK: FRONT/REAR 14" × 7" 1523283

14" FORGED BEADLOCK RINGS

	Only used on REBLR	PART#
A	Voodoo Blue	1522244-61
₿	Machined	1522244-26
©	White	1522244-13
0	Indy Red	1522244-29
€	Orange Crush	1522244-58
€	Matte Black - Replacement Only used on HALO	1523146-45

15" FORGED BEADLOCK RINGS

	only about on menn	17001
€	Matte Black - Replacement	1523147-458

REBLR O (REQUIRES BEADLOCK RINGS)

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.6 kg | LOAD RATING: 590 kg | OFFSET: -9

⑤ SHACKLE ○

REAR

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 8" 1522239-458

14" × 8" 1521508-410

14" × 7" 1522546-266 RFAR 14" × 8" 1522547-266 MATTE BLACK: FRONT 14" × 7" 1522546-458 14" × 8" 1522547-458 RFAR

SIXR 0

FRONT WEIGHT: 4.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 5.7 kg | LOAD RATING: 590 kg | OFFSET: -9 MATTE BLACK: FRONT 14" × 7" 1521507-521 14" × 8" 1521508-521 FRONT 14" × 7" 1521507-410

⑤ SPLIT **○**

FRONT WEIGHT: 4.3 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 4.9 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 6" 1522542-458 14" × 8" 1522543-458

© CYCLONE

15"

WEIGHT: 7.8 kg | LOAD RATING: 590 kg | OFFSET: +4

FRONT/REAR 15" × 7" 1523184-266 MATTE BLACK: FRONT/REAR 15" × 7" 1523184-458

1 HALO (BEADLOCK RINGS INCLUDED)

FRONT/REAR WEIGHT: 7.7 kg | LOAD RATING: 726 kg | OFFSET: +38

ACCENT: FRONT/REAR 15" × 7" 1523282 MATTE BLACK: FRONT/REAR 15" × 7" 1523266

WYDE 0

WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: +55

FRONT/REAR 15" × 7" 1522550-266 MATTE BLACK: FRONT/REAR 15" × 7" 1522550-458

FLARE

WEIGHT: 8.1 kg | LOAD RATING: 590 kg | OFFSET: +4 **ACCENT:** FRONT/REAR 15" × 7" 1523102-266

MATTE BLACK: FRONT/REAR 15" × 7" 1523102-458

• HEXLR • (REQUIRES BEADLOCK RINGS)

WEIGHT: 7.3 kg | LOAD RATING: 590 kg | OFFSET: +38 FRONT/REAR 15" × 7" 1522435-458

O LUG NUTS REQUIRED

PLOWS & TRACKS

*GLACIER ##

SELECT A LIFT METHOD

POLARIS GENERAL 4 1000 '19

POLARIS GENERAL 4 1000 '17-18

NEW Hydraulic Plow Angle

POLARIS GENERAL 4 1000 '17-18

POLARIS GENERAL 4 1000 '17-18 POLARIS GENERAL 1000 '16-18

SELECT A LIFT METHOD

Polaris HD 2041 kg Winch

POLARIS GENERAL 4 1000 '19

Polaris HD 2041 kg Winch

POLARIS GENERAL 4 1000 '17-18 POLARIS GENERAL 1000 '16-18

Polaris HD 1588 kg Winch

POLARIS GENERAL 4 1000 '17-18

POLARIS GENERAL 1000 '19

WINCHES

2883860

2881099

2881098

NEW Hydraulic Plow Controller

POLARIS GENERAL 1000 '16-18

POLARIS GENERAL 1000 '16-18

POLARIS GENERAL 1000 '19

2883861

2882239

2884127

2883391

Polaris PRO HD 2041 kg Winch

Polaris PRO HD 2041 kg Winch

GLACIER® PRO HD GIVES YOU

STEP 5

SELECT ACCESSORIES

183 cm Wear Bar 2204976

168 cm Wear Bar 2879867

Plow Marker 2872726

Skid Shoe 2205071

Shear Pin 2205527

168 cm HD Wear Bar 2879868

183 cm Blade Snow Deflector 2858541 **183 cm HD Wear Bar** 2879875

168 cm Blade Snow Deflector 2879866

Replacement T Shear Pin 2204829

NEW Heavy Duty Deflector 2884160

Extension for Tracks 2880267

ACCESSORIES



SELECT A MOUNT

MOUNT

2881763

PLOW SYSTEM

POLARIS GENERAL 4

POLARIS GENERAL

CREATE YOUR PLOW SYSTEM

POLARIS GENERAL

POLARIS GENERAL

MODELS

41000

'17-20

1000

'16-20

MODELS

1000

'17-20

1000

'16-20

BLADES

2880270

183 cm Steel

168 cm Polv

168 cm Steel

GLACIER® HD GIVES YOU

»168 cm Blades » Choice of poly or steel » Manual angle system standard

168 cm POLY BLADE

168 cm Poly

A.	200			43 cm 183 c	EM POLY BLADE ORROSION RESISTA EM STEEL BLAD IG JOBS YEAR AFTER
CREATE YOUR	STEP 1	STEP 2	STEP 3		STEP 4

SELECT A FRAME

FRAME

2880260

FEATURES	PRO HEAVY DUTY SERIES	I-IID HEAVY DUTY SERIES
	FAST WIRE COI	NNECTION TO POLARIS PULSE SYSTE

BUILT TO WITHSTAND -29°C TEMPERATURES

ALL POLARIS ENGINEERED WINCHES COME WITH:

TESTED **1,200+** PULLS AT MAX <u>LOAD</u>

WINCHES

OPERATES FULLY SUBMERGED

HOOK WITH STRAP CUT STEEL GEARS & SEALED DRIVETRAIN SEALED PERMANENT MAGNET MOTOR





NOT AVAILABLE


MILITARY TESTED & APPROVED







WITH ALUMINUM FAIRLEAD



Stops winch at end of pull to prevent driveline stress and plow overlifting



- · Lightweight & Easy to Handle
- · Superior Flexibility & Strength
- 15 m long



MODEL

15 m range wireless remote control with unique code for interference-



POLARIS GENERAL 4 1000 '19-20	
POLARIS GENERAL 1000 '19-20	

2883861

2041 ka

2883860

2881287

2041 kg



WITH STEEL ROLLER FAIRLEAD





PROSPECTOR PRO® TRACK MOUNTS

· Install in place of tires and wheels. Tracks sold separately.

» 2880649

SELECT A FRAME

2882927

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

POLARIS GENERAL 1000 '16-18

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20

PROSPECTOR PRO® TRACK



MOUNT

2883256

168 cm STEEL BLADE BEST FOR BIG JOBS YEAR AFTER YEAR SELECT ACCESSORIES **ACCESSORIES**

BLADES

168 cm HD Wear Bar 2879868 2880269 168 cm Steel

168 cm Wear Bar 2879867 Plow Marker 2872726 **Skid Shoe** 2205071

DURABLE BLADES Choose a steel blade for longevity

and increased rigidity or a lightweight non-stick, poly blade

that's easier on plowing surfaces.

Shear Pin 2205527

168 cm Blade Snow Deflector 2879866

Replacement T Shear Pin 2204829

If using Glacier Pro Plow System, Track Plow Extension is required (2880267)





Polaris DOT 4 Brake Fluid is a high-quality brake fluid designed for use in Polaris hydraulic brakes. Superior high-temp characteristics plus anti-corrosive additives extend the life of brake system components and provide consistent, positive braking,

» 250 mL • 502081

ANTI-FREEZE

Polaris Extended Life Coolant contains organic acid technologies to prevent corrosion on metal components. eliminate scaling, and maximize cooling system performance.

- » 1 L 502103
- » 25 L 502271
- » 206 L 502091

AGL

A proprietary blend of additives designed to optimize Polaris® ORV transmission life. Extreme pressure additives protect gears, drive chain, and bearings from scoring and wear. Unlike typical gear case oils, AGL's unique viscosity range allows instant flow and film protection in extreme cold or

- » 1 L 502080
- » 200 L 502151
- » 25 L 502152

DEMAND DRIVE FLUID

Engineered specifically for Polaris ORV front drive systems. Provides positive 4WD engagement in extreme cold or high heat conditions. Unique friction additives protect internal components under heavy loads and . promote positive engagement.

- » 1 L 502094
- 200 L 502264
- 25 L 502267

ENGINEERED TO MAXIMIZE THE LIFE OF YOUR RIDE

All Polaris fluids—from anti-freeze to brake fluid—are developed for your vehicle. Trust the only fluids perfectly engineered for your needs.

ENGINEERED LUBRICANTS FOR THE LIFE OF YOUR RIDE ONLY THE BEST WILL DO

P&LARIS®

To create the best oil for any terrain, we invest in rigorous testing to ensure our oil delivers the consistency and performance you demand. The results are Polaris Engineered Lubricants that are tested and perfected to deliver excellent total engine protection for the life of your ride.

WHAT COUNTS IN OIL TESTING:

- 1. Does it protect the engine at high temperatures?
- 2. Does it keep the engine free from carbon and buildup?
- 3. Does the oil hold its viscosity over time?

ENGINE CHECKPOINTS

When evaluating an engine oil and its ability to protect and preserve the engine's power output and lifespan, Polaris engineers focus on key areas within the engine, some of the most critical ones include:

RING LANDS: Poor oxidative performance can lead to carbon and varnish buildup, which results in poor ring seal and loss of power, combustion blow by and fuel dilution of the oil.

PISTON RINGS: During the combustion process, extreme pressures are placed on the top ring, forcing it outward toward the cylinder wall, sealing the combustion chamber. With so much force applied, poor oil film strength between the top ring and the cylinder wall can lead to cylinder wear and loss of power

ROD BEARINGS: Engine bearings ride on an extremely thin hydrodynamic film of oil. Poor oil film strength or using an oil with a thinner viscosity, can lead to premature bearing wear or even engine failure. Using an oil with high film strength and a strong viscosity, like PS-4 full synthetic, will extend the service life of your engine.

CAMSHAFT: Direct Acting Overhead Camshafts are used on many Polaris Prostar Engines. In this application the camshaft pushes directly on the valve, creating very high contact pressures compared to other camshaft configurations. These forces are so great that inferior oil can break down and be forced out of the contact area leading to increased wear. PS-4 full synthetic additives are specifically designed to provide wear protection against this.

Proper lubricant application and timing will ensure optimal vehicle performance. Please refer to your owner's manual for lubricant change interval schedules.

CARBON CLEAN Polaris Carbon Clear

» 125 mL • 502082

ethanol corrosion and stabilizes fuel for up to antioxidant formula

FUEL STABILIZER

protects against gum starting » 125 ml • 502100

ANGLE DRIVE

» 1 L • 502089

» 202 L • 502266

» 25 L • 502268

» 1 L • 502098

PS-4 OIL CHANGE KIT

PS-4 FULL-SYNTHETIC OIL

SPECIFIC NEEDS,

SPECIFIC OILS

Polaris invests millions in engine development, and part of that investment

spec an oil to an industry-wide standard that must account for a variety of

PS-4 is designed specifically for Polaris 4-cycle engines and has high film

strength and wear protection under extreme loads and temperatures.

Exclusive anti-wear additives protect engine parts with extra rust and

is making sure its lubricants-critical to engine performance-are the

engineering resources used in developing Polaris lubricants would

right formula for your specific engine. The amount of testing data and

overwhelm an aftermarket company. Therefore, the aftermarket must

» 1L • 2877263

» 4L • 2877264

» 25 L • 2877868

» 60 L • 502338

» 200 L • 2878003

» 2879323

RANGER/RZR 900/1000

» 2880913

PS-4 EXTREME-DUTY FULL-SYNTHETIC OIL

- PS-4 Extreme Duty is optimal for ambient operating temperatures of -18° C to 53° C
- » 1L 2879037
- » 4L·2879251
- » 25 L 2879252 » 60 L • 2879003
- » 200 L 2879038

PS-4 is optimal for ambient operating temperatures of -40° C to 38° C

corrosion protection.

- · Contains the correct amount of oil for your vehicle and correct oil filter
- » 2202166
- SINGLE 570, TWIN 600, TWIN 700, TWIN 800
- POLARIS ACE/ETX 325
- » 2877473
- 330500, SPORTSMAN 550/850/1000

75<u>,00</u>0+ HOURS

64.374

DYNO **TESTING**

OIL DEVELOPMENT

12 DEDICATED

TEAM MEMBERS

FOCUSED ON

POLARIS OIL

KILOMETERS FIELD

TESTING

MONTHS

DEVELOPMENT

& TESTING

ALL-SEASON GREASE TUBE

» 400 g • 502068

POLARIS ENGINEERS PARTS THAT PUSH THE LIMITS WITHOUT SACRIFICING STRENGTH AND DURABILITY.

We build our products so anyone with the right tools can maintain their vehicle from their own garage - and get them back on the trails where they belong.

MAINTENANCE TTP

BREAK-IN PERIOD

The break-in period for your new GENERAL is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine. Perform the listed procedures carefully.

three hours of operation will damage close-fitted engine parts. Do not operate at full throttle or high speeds for extended periods during the first three hours of use.

AIR FILTERS

FOR THE LIFE OF YOUR RIDE

Critical to engine performance and reliability. A clogged air filter can restrict air flow to the engine leading to reduced engine performance. Dirt and debris ingestion can damage the engine leading to reduced engine life or catastrophic failure. Polaris recommends changing the vehicle's air filter at the specified intervals outlined in the owner's manual, which may be shorter if your vehicle is

BRAKE PADS

Check your brakes if you are close to the recommended service interval, hear grinding when applying the brakes, your vehicle is taking longer to stop or if you have to apply more pressure to your pedal to engage the brakes. Check the brake discs for signs of cracks, excessive

If the brake pads are contaminated with oils or grease (petroleum products), brake pads have to be discarded and replaced.

Discs need to be cleaned with brake cleaner or alcohol based cleaner only.

HALF SHAFT

Extreme elements can contribute to axle failure when grease escapes the inint. This usually occurs if the CV boot becomes compromised. Full replacement



subject to severe conditions.

corrosion or warning.

or part specific available.

DRIVE BELTS

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

BREAK-IN PERIOD

- · Use lower gear (if available) while varying speeds and avoiding wide open
- · If no low gear is available, vary at moderate speeds while avoiding wide open throttle for

OUR INVESTMENT

- · 32,187 km of field testing
- · Thousands of dyno hours
- 18+ months of development
- (3,000+ design hours) per belt
- 1200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

VOUR ADVANTAGE

- · No clutch recalibration
- - · Less wear & tear due to heat
 - · Ensure maximum vehicle performance
 - · More time riding, less time wrenching
- Produced in collaboration with powertrain and clutch engineers to ensure a perfect fit, maximum performance and ultimate durability

BATTERIES

Never leave a battery unattended during the storage season. To ensure your battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a BatteryMINDer* Be sure to check for corrosion from the terminals to the ends of the cables.

OIL FILTERS

Change oil filters with every oil change to provide the best protection for your engine. Superior engine protection keeps your engine operating at peak performance. Be sure to follow the suggested service intervals for oil/oil filter changes.

MAINTENANCE SCHEDULE

25 HRS/400 km

BREAK-IN MAINTENANCE

ENGINE OIL: CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> **AIR FILTER:** INSPECT & CLEAN REPLACE AS NEEDED

EXHAUST SYSTEM:

INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

MONTHS EXHAUST SYSTEM:

INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS. CABLES, ETC.

> DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

50 HRS/800 km

MONTHS

CHANGE DRIVE BELT:

100 HRS/1600 km

ENGINE OIL:

INSPECT & ADJUST REPLACE AS NEEDED

> **TRANSMISSION** FLUID: CHANGE

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

MONTHS

ENGINE OIL: CHANGE

150 HRS/2400 km

BATTERY: TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

TIRES:
INSPECT CONDITION & PRESSURE

EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

MONTHS

200 HRS/3200 km

ENGINE OIL: CHANGE

BRAKE PADS & FLUID: INSPECT & CLEAN REPLACE AS NEEDED

SPARK PLUGS: INSPECT REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

MONTHS

ENGINE OIL: CHANGE

350 HRS/4020 km

BATTERY: TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS. CABLES, ETC.

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN
TYPE SPARK ARRESTOR



ENGINE OIL: CHANGE

500 HRS/8045 km

AIR FILTER: INSPECT, CLEAN REPLACE AS NEEDED

COOLANT: CHECK LEVEL **REPLACE EVERY 2 YEARS**

GEARCASES: CHECK OIL LEVEL


EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

FOR ADDITIONAL RECOMMENDED **SERVICE ITEMS** AND VEHICLE-**SPECIFIC TIMING**

FEAVY BUTY PARTS

All Polaris parts are developed and tested to help you get the most out of your ride. Now, we're taking the passion of our riders, workers, and outdoor enthusiasts to the next level with HD Parts. These heavyduty parts are engineered for riders who want greater durability and enhanced performance. HD Parts are designed and tested to handle greater wear and tear under all weather conditions. This means longer ride times with less service interruptions and related costs.









MUD




COLD



EXTREME HEAT



HEAVY PAYLOADS



EXTENDED LIFE

SUSPENSION BOOTS'

- Thicker, stronger boot material better withstands cuts and tears
- Prevents the intrusion of water and contaminants, increasing joint life
- More resistant to cracking due to aging

BRAKE PADS*

- Longer wear life
- Improved braking in wet & muddy conditions

WHEEL BEARINGS

- Utilizes a triple lip seal for improved protection against mud and debris
- Longer life between service and replacement
- Specifically designed for Polaris vehicles

TIRES*

- · Increased tread life
- Material and design for enhanced puncture resistance

LUBRICANTS*

- High-temperature engine protection
- Increased rust and corrosion protection
- Reduced chance of thermal breakdown in high-temp environments

BATTERIES*

Improved starting in cold/poor conditions means increased performance of accessories and longer vehicle operation.

- Larger Capacity
 Measured in Ah (Ampere Hours)
 HD batteries store more energy
- Higher Output
 Measured in CCA (Cold Cranking Amps)
 HD batteries deliver more power when
 starting and power more auxiliary items

SERVICE PARTS

Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are engineered specifically for your machine. Which means everything is designed, tested and perfected to maximize the life of your ride. Getting Polaris Engineered parts is a decision that pays off in the long run, because it ensures there is a long run.



VISIT YOUR POLARIS DEALER TO SHOP FOR SERVICE PARTS.



FOR THE LIFE OF YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



POLARIS ENGINEERED DRIVE BELTS

TESTED, PERFECTED

We test each belt on the intended vehicle – we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris CVT System Engineer

OUR INVESTMENT

- 32,187 km of field testing
- Thousands of dyno hours
- •18+ months of development (3,000+ design hours) per belt
- · 1200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

YOUR ADVANTAGE

- No clutch recalibration
- · Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- More time out riding, less time wrenching

OUR INVESTMENTS ENSURE POLARIS BELTS OUTPERFORM YOUR EXPECTATIONS.


IT SECURELY

ENSURE YOUR RIDE IS READY WHEN YOU ARE.

BatteryMINDer®

- Add years of capacity, power and range to new and older batteries, regardless of type or brand
- · Never over- or under-charged in any temperature
- Leave your vehicle connected for months and return to fully charged and conditioned batteries
- · Recover older or weak batteries that would normally need to be replaced
- Charge and maintain extra backup batteries as well as those in your vehicle
- · Automatic turn-on, sleeps while keeping your batteries at full charge
- · Easy push-button selector to change battery type or time

NEW **BATTERY MAINTENANCE** TIPS 1.5 AMP Extend your battery life



Diagnoses battery's

failing batteries

Ring terminal assembly with 15A replaceable fuse

Convertible

or bench top use

Connect a BatteryMINDer* if the vehicle is in regular use.

should not be able to be rotated or shifted by hand. 3. If your battery has a drain tube, make sure it is free

4. Clean your battery - use a soft brush to scrub the top of the battery. Use baking soda

with a BatteryMINDer®

1. Store batteries in a cool.

2. Check that the battery

connections are tight. Cables

and these tips.

dry location.

after using your vehicle even

BatteryMINDer ACCESSORIES



BattervMINDer 3.7 m CABLE

KEY FEATURES

- Made with heavy-duty 16 gauge black zip cord featuring automotive SAE
- » 2830410



Designed for high

sealed hatteries

ormance specialty AGM

BatteryMINDer VPP-12:12/24 VOLT VEHICLE POWER PLUG

- · Allows easy connection to vehicle's battery through lighter or 12/24V power port with renlaceable 15 amn fuse
- » 2830518



Easy to use

economical

BatteryMINDer SPLITTER

- Connect two batteries simultaneously for easy battery maintenance
- Cap includes a set of ring
- » 2830409



BattervMINDer RING TERMINAL

• Features 61 cm long 18-gauge wire

» 2830437

- Plug has standard .8 cm negative and .95 cm positive
- Replaceable 15 amp in-line fuse for circuit protection
- BattervMINDe Includes a set of ring
- » 2830411



- connecting and disconnecting of your



POLARIS VEHICLE LIFT

- Get fast, easy access to the underside of
- · Manual and pneumatic operation available
- · Raises vehicle up to 82 cm to make repairs
- » 544 kg 2830424

LIFT ATTACHMENTS

- · Add the appropriate attachment to use your lift for all your off-road vehicles
- » ATV/POLARIS ACE 2830427
- » SNOWMOBILE 2830426





POLARIS FLEX JUMPSTARTER

- 12,000 mAh capacity. Two 5V/2.1A USB outputs, 200-lumen flashlight, and a digital battery life monitor. Includes storage case, smart jumper cables, car charger, wall charger, and user guide
- » 2830495

 Jumpstart any engine up to 6.4L. The Polaris Flex Jumpstarter is small enough to be stored in your glovebox and holds its charge so you can count on it when

POLARIS X3 CREEPER

- Three positions: flat, 45-degree angle or seated work stool
- · Helps you perform any repair with ease
- · Stay dry and warm away from cold, wet cement floors
- · Easily stores away when not in use
- » BLACK 2830429

SHOP ACCESSORIES



POLARIS MAGNETIC PARTS TRAY

» SILVER • 2830432

» BLACK • 2830435



POLARIS 8.4 cm TELESCOPIC MAGNET

POLARIS 30.5 cm HI-TORQUE RATCHETING DRIVER

» BLACK / BLUE • 2830434



POLARIS LED POCKET FLASHLIGHT

» BLACK • 2830436

CV BOOT REPAIR KIT

- · A quick trail side fix to increase trail time
- The flexible and durable boot material expands over a cone tool for CV boot repairs, without disassembling CV axles
- · Universal fit works as a temporary fix for most powersports axles

unner & lower hall inints

*Designed for temporary CV boot repair. Purchase the OEM CV Boot for a permanent repair

Refer to your owner's manual for further instructions and torque specifications.

- · All components fit inside the cone, and a cover is provided for compact durable storage
- Easily fits in a cargo box, attached to the roll cage, in the glovebox, or many other storage locations



contained inside cone

UTV CV BOOT REPAIR KIT

Kit includes the following items:

FIX ON THE GO | TEMPORARY COVERAGE

- (1) Expandable XL CV Boot
- (1) Reusable Cone Tool
- (2) CV Boot Clamps
- (1) Tube of Silicone Lube
- (1) Grease Packet • (1) Cone Cover
- » 2830526


UTV TRAIL **BOOT ONLY**

» 2830527


ATV

- » CV REPAIR KIT
- 2830528
- » TRAIL BOOT ONLY 2830529


HOW TO INSTALL



Remove wheel and axle nut




Remove brake caliper, hub, tie rod. & Remove old boot & clean joint.



large end first. See package for



Spread silicone lube on entire cone tool. Slide boot over cone tool, joint/boot, clean sealing points 6 caliper, axle nut, tire 6 wheel. install clamps.



CLEAN

ALL-PURPOSE CLEANER

- Professional cleaner, which is formulated with a low pH-value.
 The product spreads well on surfaces and adheres on them for effective cleaning action. Perfectly compatible with rubber.
 plastic and painted surfaces. The formulation is biodegradable.

SHINE

INSTANT SHINE & DETAILER

- The INSTANT SHINE AND DETAILER is developed for cleaning action without water. Removes insects, dust and dirt with almost no effort. Applicable for plastics, visors, windscreens, paint and metal. The wipe and shine formulation makes surfaces shine, works water repellant and also has an antistatic effect. Perfect for customers living in urban areas with no access to water, for bike trips or showroom bikes.
- » 500 ml 502303

POLARIS POLARIS ALL PURPOSE INSTANT SHINE CLEANER AND DETAILER

BRING IT EVERYWHERE

TRAILERING



ALUMINUM ARCHED LOADING RAMPS

- » 193 cm × 30.5 cm 907 kg 2875384
- » 224 cm × 30.5 cm 1361 kg 2875386



LIGHTWEIGHT TRI-FOLD RAMPS

- · Ramp folds up for transport
- · Capacity for up to 680.7 kg
- · Safety straps included » 183 cm × 130 cm • 2875385
- » 208 cm × 130 cm 2875860



FOLDING ALUMINUM ARCHED RAMPS

- · Ramp folds up for transport
- · Capacity up to 1361 kg
- · Safety straps included
- » 224 cm × 30.5 cm 2875387

HITCHES.

3:1 HITCHES

VERSATILE 3 IN 1 FUNCTIONALITY



BALL -

HOOK

- · Ball, pin and hook design
- Durable, rust resistant steel with black powdercoated finish



HITCH WITH 5 cm BALL

- » 5 cm x 5 cm RECEIVER
- » 3 cm x 3 cm RECEIVER 2830523



- 4.8 cm replacement hall for hitch.
- · Designed to work with 3:1 Hitch
- » 2830524

Removable ball

• HD 1.6 cm pin and clip



RECEIVER HITCH » 5 cm RECEIVER TONGUE

- 2875320
- » FRONT HITCH RECEIVER 2878846

TRAILER BALL 1.9 cm SHANK

- » 4.8 cm BALL 2877602
- » 5 cm BALL 2877603

STRAPS & ROPES



RECOVERY STRAP

- 5 cm x 9.1 m (8165 kg)
- · Comes with carry bag
- » 2884033



RATCHET STRAP

- 5 cm x 6.1 m Ratchet Straps
- · Heavy duty webbing, floating D-rings,
- 4536 kg maximum load, 1497 kg working load
- » 2884032



RATCHET STRAP

- 3.8 cm x 4.6 m straps, 2 Pack
- · Heavy duty webbing
- 2495 kg maximum load, 831 kg working load
- » 2884031



SHOCK STRAPS

- 3.8 cm 1361 kg breaking strength
- · Keeps tension on tie-down straps to secure load, 2 Pack
- » 3.8 cm x 4.6 m 2883296
- » 3.8 cm x 2.1 m 2883295

COVERS



TRAILERABLE COVER BY POLARIS

- » 2-SEAT 2881841 POLARIS GENERAL 1000 '16-20
- » 4-SEAT 2881787
- POLARIS GENERAL 4 1000 '17-20



POLARIS SxS CAMO FIELD COVER

POLARIS GENERAL 4 1000 '17-20, POLARIS GENERAL 1000 '16-20





Cooling fabric designed with sun protection in mind. Our chemical-free fabric Coolcore reduces the surface temperature on our cooling shirt up to 30%, so you don't overheat. It carries a 50 Ultraviolet Protection Factor rating, the highest attainable, blocking 98% of harmful UV rays. Available in long and short sleeve.

FABRIC TECHNOLOGY DESIGNED TO KEEP YOU COOL

SHORT SLEEVE COOLING SHIRTS

MEN'S S-3XL | 2860634

WOMEN'S S-3XL | 2860636

· 280 grams of breathable fleece

LAYERING





S-3XL | 2868512

MEN'S TRAIL MID-LAYER S-3XL NAVY | 2860552 **GRAY** | 2869925 • Wind blocking layer on chest





OFF-ROAD RIDING GLOVES

• Adjustable wrist closure for a custom fit • Comfort in the details: silicon finger grips and

> YOUTH JERSEY S-XL MULTICOLOR | 2860652 BLUE | 2860651



OFF-ROAD RIDING JERSEYS S-3XL

• Mesh ventilated panels for maximum airflow

• Elastic sleeves with non-restrictive cuffs

GLOVE | 2860641

BLUE/LIME **JERSEY** | 2860647 **GLOVE** | 2860642

RIDING JERSEYS & GLOVES

MULTICOLOR **JERSEY** | 2860648 **GLOVE** | 2860643

NAVY/PINK **JERSEY** | 2860649 **GLOVE** | 2860644

GLOVE | 2860645



BOLD TECHNICAL **GEAR** TO **INSPIRE EVERY ADVENTURE**

APPAREL & HELMETS

509[®] ALTITUDE HELMET

STYLISH, LIGHTWEIGHT HELMET WITH 509° FIT AND FINISH

SHELL

· Thermoplastic poly alloy outer shell

ORANGE

WEIGHT

· 1260 grams

FEATURES

- Revolutionary neck brace-ready shell profile
- Specially designed expanded polyurethane chin insert
- · Eight intake/exhaust vents
- · Universal camera mount included
- · Removable breath box included
- Three outer shell molds across eight sizes for excellent fit
- DOT- and ECE 22.05-approved

P&LARIS®





509 ALTITUDE CARBON HELMET

DURABLE, ULTRA LIGHTWEIGHT, CARBON FIBER

SHELL

· Full carbon fiber shell

WEIGHT

· 1100 grams

FEATURES

- technology, easy-on/off technology
- Revolutionary neck brace-ready
- shell profile
- · Removable breath box included · Universal camera mount included
- · Fidlock® magnetic chin strap
 - Fully convertible for winter and
 - · Three outer shell molds across eight sizes for excellent fit

• Eight intake /exhaust vent ports

- DOT- and ECE 22.05-approved



GOGGLES

KINGPIN 509 DIRT GOGGLE

S-4XL | **2867815**

PREMIUM MATERIALS, ATTRACTIVE PRICE

FEATURES

- · Oversized spherical lens delivers optimal peripheral vision
- Metal tear off posts provide strength and durability
- Quick-Change technology allows you to run the best lens tint for conditions



BLUE

S-4XL | **2867814**



ORANGE



BLACK



RED



LIME

TENACITY HELMET

ALL THE STYLE & PROTECTION IN OUR MOST AFFORDABLE HELMET

SHELL

WEIGHT

· 1450 grams

· Injection-molded plastic

- - · Stay cool when pushing the limits with oversized mouth intake and top yents with six rear exits

FEATURES

- Stay warm on cold days with optional breath deflect or insert (sold separately)
- · Removable, machine-washable liner keeps
- things fresh ride after ride
- DOT- and ECE 22.05-approved

RED GLOSS XS-2XL | 2868623





TEKVEST®

VISIT POLARIS.COM FOR TEKVEST® SIZING



TEKVEST® SUPERSOFT S-3XL | 2862190

- Zip-off fleece collar diffuses rising body heat to reduce fogging
- Large arm openings for unrestricted movement Drop-tail design for extended coverage
- 2-stage pockets

- TEKVEST® FREESTYLE
- S-3XL | 2862189
- Strong, protective ultra high molecular weight panels cover shoulders
- · Front and rear mesh panels promote cooling airflow
- · Large arm openings for unrestricted
- · Use off-roading and/or snowmobiling



SHOULDER PADS

S-3XL | 2862192

- Strong and protective Ultra High Molecular Weight Polyethylene
- Adjustable bicep strap
- Quick-attach design for installation or removal in seconds



TEKVEST® YOUTH

S-3XL | 2862191

- · Adjustable side straps and arm straps • Strong, protective ultra high molecular
- weight panels cover shoulders Large arm openings for unrestricted

APPAREL & HELMETS

NEW NAVY S-3XL | 2860546 S-3XL | 2860545

SOFTSHELL JACKET

S-3XL | 2869920

LIGHTWEIGHT PERFORMANCE THAT'S SURPRISINGLY WARM AND PERFECT FOR EVERYDAY WEAR

- \bullet DWR prevents precipitation from saturating the jacket's exterior
- · Three external and one internal pocket
- · Lined with 280 grams of soft fleece for warmth
- Removable hood and underarm venting



S-3XL | 2860547



RAIN SUIT




RAIN JACKET GRAY S-3XL | 2869527

RAIN PANTS GRAY S-3XL | 2869528

• 100% waterproof lightweight and packable nylon

YKK® Zippers

Rain jacket has removable hood



N=W

FLANNEL JACKET

Stylish and warm flannel shirt/jacket with front snap closure available in 2 colorways. Soft yet durable brushed flannel on the outside lined with warm Sherpa fleece on the inside. Available in Men's sizing S-3XL.

Ample storage with 5 total pockets:

- External pockets include 2 chest and 2 hand pockets with snap closures
- One internal pocket with zip closure



BRONZE S-3XL | 2860864

N=WWORK JACKET

This warm and rugged jacket was engineered to be tough enough for work and stylish enough for play. The outer fabric is crafted with Nylon 6, a durable, non-stretch woven fabric that is rugged and tear resistant but feels like a soft, comfortable material. Protection and warmth with 100% nylon shell coated with durable water repellency (DWR).

External features:

- Superior Durable Water Repellent (DWR) treatment provides water-resistance in the elements
 Four external pockets for maximum gear storage
- Customized fit with Velcro® wrist closure cuffs
- Customized fit with Velcro® wrist closure
 Internal features:

Internal reatures:

- 80 gram 3M® Thinsulate for warmth on chilly days
 Ruilt in action book provides comfortable may may
- Built in action back provides comfortable movement and increased range of motion
- Internal zipper pocket
- Internal zipper pocke
 Brushed flannel trim

GREEN S-3XL | 2860862

OUTERWEAR BUILT TO WORK HARD & PLAY HARD

S-3XL | 2869921

LIFESTYLE







MEN'S GRAY | 2869536





CAPS



NEW CAMO TRUCKER HAT One-Size BLACK | 2860613

PINK | 2860614



PATCH CORE HAT BLACK S/M | 2868579 BLACK L/XL | 2868580 NAVY S/M | 2868581 NAVY L/XL | 2868582



DASH SNAPBACK HAT One-Size BLACK | 2860595 GRAY | 2860596



GRAY | 2868767

CORE SNAPBACK HAT One-Size BLACK | 2867762 NAVY | 2869544



PATCH TRUCKER HAT One-Size BLACK | 2860597 NAVY | 2860598



RETRO TRUCKER HAT One-Size GRAY/RED | 2869542 GRAY/BLUE | 2869543




KNIT PATCH BEANIE One-Size BLACK | 2860601 **GRAY** | 2860602



FLEECE REVERSIBLE BEANIE One-Size CAMO/GRAY | 2868648 CAMO/BLAZE ORANGE | 2867756

GIFTS & BRANDED MERCHANDISE



OLIVE | 2860837

PWILTEN CONTRACTOR OF THE PARTY OF THE NEW

MEN'S CAMO TEE

GRAY | 2860709

BLACK | 2860710



BARWARE



POLARIS FLASK

2860812





WHISKEY ROCKS 2860813

POLARIS WOODEN COASTERS WITH **BOTTLE OPENER**

BEER FLIGHT SAMPLER 2860814

PINT GLASS (Set of 2) 2860815

CREDIT CARD BOTTLE OPENER 2860818

RECREATION/GARAGE



CARD DECK

2860816





PREMIUM COOZIE 2860829



18 OZ STEEL CAMO WATER BOTTLE 2867962



POLARIS WOOD SIGN (26.7 cm x 61 cm) 2860866



POLARIS STEEL SIGN (35.6 cm x 91.4 cm) 2860868



POLARIS ALUMINUM SIGN (56 cm) 2860867



